


LED 24V Dim-Controller



Light control 24V Dim-Controller radio 80W incl. recessed remote control black



Description:

Dim controller 24V DC with enclosed recessed remote control in black, for wood with 35 mm cut-out min. 12 mm, with memory function (after cut off from mains the last setting is recovered), incl. battery, supply cable with two LED 24-plugs and 12-way distributor for the luminaires

Connection: LED-Trafo DC 24 V

Symbols: CE, MM, UL, IP20, SK III

EAN-No.: 4051268194242

Weight: 0,08 kg

Special features:

- for luminaires with LED 24 plug
- easy plug-in connection for new or existing installations
- with memory function (after cut off from mains the last setting is recovered)
- remote control: to dim and switch (operating distance 15m / less for walls and ceilings)
- recessed remote control for wood with 35 mm cut-out min. 12 mm incl. mounting housing stainless steel look or for use in standard sockets?
- multiple radio controllers can be activated simultaneously using a remote control or per channel?
- NEW: all controllers with „Soft Off“ and „Multicontrol“ (max. 7 different radio transmitters can be used with one controller)?

Order number:
61500050522

*Sistemas inalámbricos HERA de control de luz.
Instalación empotrada o de superficie con accesorio incluido.
Opciones de encendido/apagado, regulación y cambio de color o tono de luz en tres botones.
Receptores disponibles dentro de los sistemas HERA a 24V.
Versión disponible sin receptor para asociar hasta 7 botones a un mismo receptor.
Acabados negro y simil acero inox.*

LED 24V Dim-Controller



Light control 24V Dim-Controller radio 80W incl. surface mounted remote control black



Description:

Dim controller 24V DC with enclosed surface mounted remote control in black and wall mounting, with memory function (after cut off from mains the last setting is recovered), incl. battery, supply cable with two LED 24-plugs und 12-way distributor for the luminaires

Connection: LED-Trafo DC 24 V


Symbols: CE, MM, UL, IP20, SK III

EAN-No.: 4051268194211

Weight: 0,105 kg

Special features:

- for luminaires with LED 24 plug
- easy plug-in connection for new or existing installations
- with memory function (after cut off from mains the last setting is recovered)
- remote control: to dim and switch (operating distance 15 m / less for walls and ceilings)
- surface mounted remote control with wall mounting
- multiple radio controllers can be activated simultaneously using a remote control or per channel?
- NEW: all controllers with „Soft Off“ and „Multicontrol“ (max. 7 different radio transmitters can be used with one controller)?



Sistemas inalámbricos HERA de control de luz.

Mando a distancia con soporte incluido.

Opciones de encendido/apagado, regulación y cambio de color o tono de luz.

Receptores disponibles dentro de los sistemas HERA a 24V.


Versión disponible sin receptor para asociar hasta 7 mandos a un mismo receptor.

Acabados negro y simil acero inox.

LED 24V Dim-Controller



Light control 24V Dimm-Controller BLE 120W with 12-way distributor



Description:

Bluetooth Low Energy-controller for dimming and switching LED 24V luminaires, easy plug-in connection for new or existing installations, controllable with every iOS or Android smartphone or tablet (App for free), with memory-function (after cut off from mains the last setting is recovered), supply cable with two LED 24-plugs and 12-way distributor for the luminaires

Connection: LED-Trafo DC 24 V

Symbols: CE, MM, IP20, SK III

EAN-No.: 4051268257336

Weight: 0,07 kg

Special features:

- for luminaires with LED 24 plug
- easy plug-in connection for new or existing installations
- with memory function (after disconnection from the mains, the previous dimming status is restored)
- BLE Controller (Bluetooth Low Energy)
- controllable via any iOS or Android smartphone or tablet (with free Meshle app)
- Indoor range up to 15m (Mesh network)

- freely programmable scenes
- very easy installation due to plug & play components and plug-in systems can be used individually as a stand-alone control
- up to 30 controllers automatically connect to each other and can be controlled via Bluetooth in the app incl. timer function (individual switch-on and switch-off times)

*Sistemas inalámbricos HERA de control de luz.
Receptor para sincronizar con App gratuita y gestionar todo tipo de luminarias a 24V*

